

U.S. DEPT. OF JUSTICE
JUL 10 1963

04/20/00
05/03/01

**SYSTEM AND METHOD FOR STORAGE AND RETRIEVAL OF
PERSONAL COMMUNICATIONS IN A BROADBAND NETWORK**

5

FIELD OF THE INVENTION

The present invention relates to communication between users in communication systems, and more particularly, to providing a database of personal communications in a communication system including broadband communications.

10

BACKGROUND OF THE INVENTION

Present day telephony networks typically have end-to-end networks built around circuit switches, end offices, a toll network, tandem switches, and twisted wires. These networks are commonly referred to as a public switched telephone network (PSTN) or plain old telephone service (POTS). Due to bandwidth limitations of plain old telephone service (POTS), there is an inherent inability to efficiently integrate multiple types of media such as telephony, data communication for personal computers (PC), and television (TV) broadcasts. Further, the type of customer services and feature/function capability that may be implemented in a PSTN is somewhat limited relative to a broadband communication system. Accordingly, new broadband architectures are developing which transmit voice, data, and multimedia (video and audio) communications using, for example, communication information packets. These communication packets may be constructed in one or more packet protocols such as Internet Protocol (IP) or Asynchronous Transfer Mode (ATM).

PATENT APPLICATION

Attorney Docket No. 1999-0728

These new architectures gives rise to a new array of user services and capabilities not previously available with PSTN. One such new service and system capability of a packet based broadband communication system is provided by the present application for indexed database of personal communications.

5 Present PSTN voice mail systems do not readily provide a method that enables a caller to build and maintain a searchable database of all communications that a person participates in, including voice and multimedia (video and audio) communications. Further, present PSTNs voice mail systems do not automatically include the digital representation of the message left that would readily enable saving
10 and searching either one, or both, communications to and from a communication device. For example, in the present PSTN networks if a telephone call is recorded then both parties voice communications will be recorded whether both parties approve or not. Nor can the present PSTN support segregating portions of a multimedia communication. Thus, in general, the present PSTN infrastructure will
15 not support creation and manipulation of an indexed database of personal communications. However, with the development of packet based broadband communication systems, such a database of voice and multimedia communications is possible to implement. An indexed database of personal communications represents a value to consumers as a means to enable a system user to readily create and quickly
20 search a database of personal communications for any information he/she needs.

SUMMARY OF THE INVENTION

1 The present invention is directed to a mechanism to build and maintain a
storage and retrieval means for communication content and related indicia
5 information (e.g., meta data) of voice, multimedia (audio and video), and/or instant
message (IM) communication sessions that a person participates in while using a
broadband communication system. Voice and multimedia communication traffic
being carried in digital form, such as in information packets, enables retention and
sorting of the information packets according to such things as date, time, party
10 identification, and communication content, so that a communication device user can
readily search through a database of prior communication session(s), identify a
communication session of interest, and review the communication session for content.
This may be accomplished by use of a personal communication store and recall
module, either physical or logical, that may be coupled to or integral to the user's
15 communication device (e.g., a telephone) and/or a broadband communication
network. The module may capture all data associated with a communication session
and perform voice recognition on the voice or audio content of the communication,
storing the content in a database for future reference. The communication data
including text of the voice or audio content of the communication may then be
20 searched based on related data, keywords or any word(s) spoken during the
communication session. In one variation of the invention, artificial intelligence may
be used to identify and log the main keywords in the conversation. The module may

store all of the content of the various communication sessions, such as telephone conversations, in a database along with related data about the communication session, e.g., the date, the time, the directory number, the system address, and the identity of the other endpoint or party. In addition, an index may be created using the system

5 identified keywords and/or identification (ID) text.

In another variation, the module may operate to store less than all parts of a multi-party communication session when one of the parties does not pre-approve of his/her contribution to the communication session being recorded. For example, the stored content of a telephone conversation may be limited to only the words of the

10 calling party or called party (both parties may record his/her own side of the communication) if one or more of the parties to the telephone call will not agree to the storing of his portion of the conversation. In this case, the communication store and recall module will store only information packets, e.g., IP packets, which are outbound from the retaining party's own communication device. Thus, the user

15 would build a record in his/her own database which contains only his/her own side of the communication session and related data.

In a further variation of the invention, a mechanism may be included to allow users to record all parts of a communication session, e.g., a telephone conversation, by getting permission from the other party or parties to the communication session.

20 Often, the law requires that a party must be notified if a communication session, e.g., a telephone conversation, is being recorded (e.g., stored in memory). The mechanisms enables control of a parties approval to record a communication session.

PATENT APPLICATION

Attorney Docket No. 1999-0728

In a first approach for a two-party communication, each party can initially enter an approval code which enables the stored communications module to store both sides (incoming and outgoing parts) of a communication session from the very beginning of the communication session. This approval code may be spoken or entered via a keyboard or keypad on a communication device. In another approach, both sides of the two-way communication are also stored in the database, one unprotected (outgoing communications of a transmitting party) and one protected (incoming communications to the transmitting party from some other party). In this case, the digitized and packetized communications (e.g., words spoken) of the transmitting party, sending one side of the communications, are stored in an unprotected manner. However, the digitized and packetized communications (e.g., words spoken) received by the transmitting party from some other party are encoded using encryption, and the other party originating this side of the communications may be given the only copy of an encryption key for decoding the encrypted information packets. If at some point, a system user wishes to recall the other side's portion of the communication, he can request the key from the other party, and therewith decode the encrypted portion of the communication session. Thus, the entire communication session may be retained in an indexed database of personal communications and either all parts or sides of the multi-way communication are unprotected or only the side of the communications originating from the system user for whom the database is being created are stored unprotected and the other side(s) of the communications received from other parties are stored protected.

In a still further variation of the invention, the module may include an interactive portion which enables the user to actively or interactively determine particular keywords that he/she may later use to search and find a stored communication. After each communication, the user may be given, either
5 automatically of manually, the choice to enter keywords or make changes to system selected keywords and related data initially selected by the system, so as to assist in indexing the communications. Once a communication is saved in the database and the keywords and/or meta data established, the user may search it whenever he/she wishes to review something in or about a communication that he/she previously had
10 with another party(s).

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a schematic representation of an exemplary broadband
15 network (e.g., broadband IP based network) in accordance with a preferred embodiment for aspects of the present invention.

Figure 2 shows a flow diagram for identifying and storing of meta information and identification terms for a communication session according to a preferred embodiment of the present invention.

20 Figure 3 shows a flow diagram for automatically determining keywords and/or ID terms of a communication session according to a preferred embodiment of the present invention.

Figure 4 shows a flow diagram for determining what parts of a communication session will be stored and whether to protect or not protect an incoming portion of a communication session according to a preferred embodiment of the present invention.

5 Figure 5 shows an exemplary graphical user interface for system indication and user selection of keywords and/or ID terms related to a communication session according to a preferred embodiment of the present invention.

Figure 6 shows a flow diagram for searching a database of communication session to find a communication session the user wishes to review according to a preferred embodiment of the present invention.

10 Figure 7 shows an exemplary graphical user interface used to search a database system to find a communication session the user wishes to review according to a preferred embodiment of the present invention.

Figure 8 shows an exemplary result of a listing of communication sessions identified in response to a system user's request according to a preferred embodiment of the present invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

20 The present invention is directed to a mechanism that enables broadband communication system users to build and maintain a searchable storage of communications between the system user and others. In particular, the mechanism

PATENT APPLICATION

Attorney Docket No. 1999-0728

may be a personal communication store and retrieval (recall) module which enables a system user to retain, search, and review his/her various communications. This is particularly useful for telephone calls and multimedia (audio and video) calls which until now have either not been retained or have not been retained in a searchable
5 medium. Likewise, the invention may be applied to instant message (IM) communication session and the transcripts of IM sessions would be collected and stored in a manner similar to storing the telephone or multimedia communication sessions.

With the advent of voice traffic being carried in digital form, e.g., in IP
10 packets, communication session information may now be stored in, for example, a searchable database. The key information for storing and retrieving of communication session records in the database may be facilitated using automation such as voice/speech recognition and/or artificial intelligence. Further, the system may determine, based on user approval, whether to store only particular parts of the
15 communication session such as the words of one party but not the words of some other party. The module may be physical, logical, or a combination of both, that is coupled to the user's phone and/or the broadband communication network.

In general, the personal communication store and recall module may capture all data associated with a communication session, e.g., a telephone conversation, and
20 perform voice recognition on the content of the communication session, e.g., conversation. Then using artificial intelligence, for example artificial intelligence software available today, the main keywords in the conversation are identified. One

PATENT APPLICATION

Attorney Docket No. 1999-0728

example of an artificial intelligence system and software which may be used is the SMART system from Cornell. The module may store all of the communications, and data related to the communications, such as date, time, directory number, system address, identity of other party(s) of other endpoint(s) in an electronic memory using, 5 for example, a database. In addition, an index may be created using the system generated keywords determined by using artificial intelligence. The module may also enable the system user to enter his/her own keywords or other communication identification (ID) terms.

The module may be mechanized to store only one party's contributions to the 10 communication session or a number of parties contributions to the communication session. If multiple parties contributions are to be stored, the module may be constructed to store incoming communication information packets only when authorized by the party from whom the incoming communication information packets are being sent. So, in some cases, the module may only store outbound packets.

15 In another variation, incoming communication information packets may be stored in a protected manner, e.g., encrypted, so that a receiving party may subsequently be decoded when approved by the sending party. These features are particularly useful in cases where legal restrictions prevent the recording of telephone and/or multimedia communications. This is possible in the IP world since each 20 persons voice is digitized, packetized, and routed on its own path. Thus, the module builds a database of at least the system user's side of each communication.

In a still further variation, the invention may include an interactive portion so

that after each communication the user may manually alter or enter keywords and/or identifications terms, for example at title of the communication session, that will help with the indexing and subsequent searching of the stored communication sessions. Once stored and indexed, the user can search the database whenever he wishes to
5 review something in, or about, a previous communication, by entering particular search terms such as keywords or ID terms.

One preferred embodiment of a broadband communication system architecture in which the present invention may be implemented is illustrated in Figure 1. Although the invention will be describe herein using the broadband communication
10 system illustrated in Figure 1, it is understood that the invention may be implemented in any number of different broadband communication systems or variations of the broadband communication system illustrated in Figure 1. Some other possible broadband communication system architectures in which the present invention may be implemented include those shown in, for example, U.S. Patent Application Serial
15 No. 09/475,292 and U.S. Patent Application Serial No. 09/475,293, filed December 30, 1999, hereby incorporated by reference for all purposes. In particular, U.S. Patent Application Serial No. 09/475,293 is directed to an activity log for improved call efficiency which may prove useful in supplementing the present invention.

As illustrated in Figure 1, the broadband communication system may include
20 plurality of customer premise equipment (CPE) 110 and 120 used to interface with a broadband communication system, for example, broadband network 130. The CPEs 110 and 120 may include, for example, a cable modem (CM) 111 and 121 coupled to

the broadband network 130 via a communication interface 115 and 125, respectively. The communication interfaces 115 and 125 may be, for example, a coaxial cable, optical fiber, radio waves, etc, as long as it can handle broadband communications. Further, the CPEs 110 and 120 may include a personal computer (PC) 114 and 124, a
5 broadband telephone interface (BTI) 112 and 122, and a telephone (POTS or ISDN), 113 and 123. The cable modem 111 (or 121) and the broadband telephone interface 112 (or 122), may be separate or integral in a single box such as a broadband residential gateway (BRG), and may further include a television interface for interfacing with a TV 118 and 128. Likewise, the CM 111 (or 121) and/or BTI 112
10 (or 122) may be included in the PC 114 (or 124).

The broadband network 130 may include a plurality of cable modem termination systems (CMTS) 131 and 132 to couple to the plurality of cable modems (e.g., CMs 111 and 121) coupled to the broadband communication system, and one or more gate controllers 133 to coordinate communication traffic throughout the
15 broadband system. The broadband network 130 may be coupled to a cellular communications base station 150. The broadband network 130 may also be coupled to a PSTN 160 via a gateway (GW) 165 and the PSTN 160 coupled to cellular communications base station 150. The radio wave communications base station 150 is coupled via radio waves to one or more mobile communication devices 155. The
20 mobile communication device may be, for example, a digital phone or hand held multimedia communication device such as a laptop or portable PC, or a personal digital assistance (PDA) device, etc., couple to the system with a wireless connection.

PATENT APPLICATION

Attorney Docket No. 1999-0728

The system may further include a plurality of personal communication modules (PCM) 140A and 140B. The PCM 140A and 140B may be physical or logical, or a combination of both. The personal communication module 140A and 140B may be a server and include one or more electronic processors, electronic
5 memory, and operating and application software. The electronic memory may include ROM, RAM, and a magnetic disk drive. The software may contain a database portion, means for providing encryption and encryption keys such as cryptography software, for example, Pretty Good Privacy (PGP) and/or S/MIME (may include RSA), as well as artificial intelligence software for providing system
10 generated keywords, such as in SMART. The personal communication module 140A and 140B, as illustrated, may be coupled to the CPE 110 and 120, respectively, and/or the broadband network 130 via separate interconnects, or may be located along communication links 115 and 125. Alternatively, the personal communication modules 140A and 140B may be included in the CPE 110 and 120 or the broadband
15 network 130 and utilize hardware and software already existing in these mechanisms. For example, the personal communication module might be a logical entity supported by a PC 114 or 124 of the CPE 110 and 120 or by a server (not shown) within the broadband network 130. Likewise, the PCM 140 might be supported by, or integral with, the mobile communication device 155. In any case, one skilled in the art will
20 recognize that a PCM 140 and its related software may be located anywhere in the broadband communication system which will support the feature/function capabilities of processing, storing, and retrieving system user communication sessions that

include voice or multimedia communications and may either be integrated in a single device or separated into multiple devices.

Referring now to figure 2, a flow diagram illustrating a manner for identifying and storing meta information and identification terms for a stored communication session according to a preferred embodiment of the present invention is provided.

5 First, at step 205, a system user enters a communication session. For example, a system user may make a telephone or multimedia call with CPE 110 to a system user of CPE 120. Alternatively, the system user may make a call from mobile communication unit 155. In any case, once connected, the system, for example the

10 BTIs 112 and 122, digitize and packet the voice or audio sounds and transmits them through broadband network 130 to the other party's CPE, 120 and 110, respectively. At step 206 the system, for example, the personal communication modules 140A and 140B, will collect the communication information packets and store them in memory. The personal communication modules 140A and 140B, respectively, may collect both

15 incoming and outgoing communication information packets or just outgoing communication packets of the respective CPEs 110 and 120. These packets may be stored in electronic memory, for example, cache memory. Next, at step 207, the system user(s) ends the communication session, for example, a telephone or multimedia call.

20 Then, at step 208, the PCMs 140 stores the collected communication information packets and related meta information to memory, for example in a database on magnetic disk. Meta information may be the time, date, directory

number, system address, identity of other party(s) of other endpoint(s), etc. The system will convert the stored digital voice packets into text using voice/speech recognition and then automatically determine a group of system selected keywords for search and ID terms for the communication session (see figure 3). The system, for example the PCMs 140A and 140B in conjunction with respective CPEs 110 and 120, will prompt the system user(s) to determine preferred communication session identification (ID) terms, at step 209. (See for example the graphical user interface (GUI) illustrated in figure 5.) At decision step 210, the system determines if the system user(s) has identified preferred ID terms. If not, at step 212, the system retains the system selected ID terms to be associated with a communication session. If so, at step 211, the system revises the system selected terms according to the system user(s) preferences and associates them with the communication session.

As previously indicated, the system may convert the communication session information packets to text and automatically select various keywords/ID terms for the communication session. Referring now to Figure 3, a flow diagram for automatically determining keywords and/or ID terms of a communication session according to a preferred embodiment of the present invention is illustrated. This may occur at, for example, steps 208 or 209, or somewhere in between (see figure 1). First, the system, for example the PCM 140A and 140B or the CPE 110 and 120, determine whether the communication session information packets includes voice or speech information at decision step 305. If so, at step 306, the system creates text information from the communication session information packets which may have

been stored as a record in a database. This text information may be created using voice/speech recognition and the results may be stored as a text file associated with the communication session information packets. This text file may be searchable. Then, at step 307, the system automatically selects keywords/ID terms from the text.

- 5 The system may use, for example, artificial intelligence, to determine which words or phrases to select as keywords/ID terms for the communication session information packets.

Further, the system will store communication session information packets for either only packets outgoing from the system user's communication device (e.g., CPE
10 110 or 120, mobile communication device 155, etc.) or for both outgoing and incoming information packets. This may occur at, for example, step 208 (see figure 1). If incoming information packets are to be stored, then the system may be capable of protecting the incoming information packets so that the packets can only be accessed after the originating party approves the access.

- 15 Referring to Figure 4, a flow diagram for determining whether only outgoing communications or incoming and outgoing communications will be stored and whether incoming communication will be protected or not protected for a communication session according to a preferred embodiment of the present invention is illustrated. First, at decision step 405, the system, for example the PCM 140A and
20 140B or the CPE 110 or 120, may determine whether approval has been given by a sending party(s) to store the incoming communication information packets. If not, then at step 409 the system will collect only outgoing communication packets.

PATENT APPLICATION

Attorney Docket No. 1999-0728

However, if one or more parties to the communication session approve of his/her outgoing communication information packets being stored by a receiving party, then at step 406 the system will collect communication packets for outgoing communication information packets and for any incoming communication information packets which have been approved for collection and storage. Approval to save incoming communication information packets may come in the form of one of at least two types: pre-approval to collect the communication information packets and store them unprotected or pre-approval to collect the communication information packets and store them protected. So, at decision step 407, the system determines whether any of the approved incoming communication information packets which have been collected are to be protected. If so, then at step 408, the system protects the incoming communication information packets so that the recipient can not review the original incoming communication packets without getting additional approval from the sending party. For example, the system, e.g., PCM 140A or 140B may use cryptography software such as PGP and/or S/MIME, which may include RSA, to encrypt the communication information packets using a key known only by the sending party. One possibility is the use of symmetric keys and triple DES to encrypt. The two parties could exchange the keys using a well-known protocol for two parties to establish a communication encryption key, such as the Diffie-Hellman protocol. Then, the recipient of the incoming communication information packets may subsequently request the sending party's approval to access the complete communication session. In response, the sending party may provide the receiving

party with an encryption key to decode the encrypted incoming communication information packets. Alternatively, the system might automatically save all incoming communication information packets in encrypted format without any pre-approval by the sending party. In any case, the collected communication information packets may
5 be stored by, for example, the PCM 140A or 140B, or CPE 110 or 120. A few examples are provided below.

In one exemplary embodiment, the PCM 140A or 140B may collect and store less than all parts of a multi-party communication session when one of the parties does not give approval for his/her contribution to the communication session to be
10 recorded. For example, the stored content of a telephone conversation may be limited to only the words of the calling party or called party (both parties may record his/her own side of the communication) if one or more of the parties to the telephone call will not agree to the storing of his portion of the conversation. In this case, the personal communication module 140A or 140B will store only information packets, e.g., IP
15 packets, which are outbound from the party's own communication device, e.g., CPE 110 or 120, respectively. Thus, the user would build a record in his/her own database which contains only his/her side of the communication session.

In a further variation of this embodiment, a mechanism may be included to allow users to record more than just the outgoing part of a communication session,
20 e.g., a multi-party or conference telephone call, or all parts of a communication session, e.g., a two-party telephone call, by getting permission from the other party or parties to the communication session. Often, the law requires that a party must be

PATENT APPLICATION

Attorney Docket No. 1999-0728

notified if a communication session, e.g., a telephone conversation, is being recorded (i.e., stored in memory). In such cases the present embodiment provides a mechanism that enables control of a parties approval to record the telephone call. In a first approach for a two-party telephone call, each party can initially enter an approval

5 code which enables the system, for example the personal communications module, to store both sides (incoming and outgoing parts) of the telephone call from the very beginning of the call. This approval code may be spoken and determined with voice/speech recognition or entered via a keyboard or keypad on a communication device. In another approach, both legs of the two-way telephone call are collected

10 and stored in, for example, a database, one unprotected (voice segments of an originating party) and one protected (voice segments from some other party). In this case, the digitized and packetized voice (i.e., words spoken) of the party originating the communication, for example the party having PCM 140A associated with his/her CPE 110, are stored in an unprotected manner. However, the digitized and packetized

15 voice (i.e., words spoken) received by that same party from the other party to the telephone call, for example the party having PCM 140B associated with his/her CPE 120, are encoded using encryption, and the party originating these words (the party having PCM 140B associated with his/her CPE 120) may be given the only copy of the encryption key for decoding the encrypted information packets. If at some point,

20 the system user having CPE 110 and PCM 140A wishes to recall the other side's portion of the telephone call, he can request the key from the other party, and therewith decode the encrypted portion of the telephone conversation. A similar

scenario would apply to a conference call but each party could approve whether his portion of the conversation may be collected and saved by one or more recipients. Thus, an entire communication session, for example a telephone call, may be retained in an indexed database of personal communications and either some, all, or none of the various parts or sides of the incoming communication packets for the telephone call may be unprotect, depending on each parties' preference.

In a still further variation of the invention, the PCM may include an interactive portion which enables the user to actively or interactively determine particular keywords that he/she may later use to search and find a stored communication session. After each communication session, the user may be given, either automatically or manually, the choice to enter keywords or make corrections to the keywords initially selected by the indexed database system, so as to assist in indexing the communication session. Once a communication session is saved in the database and the keywords and/or meta data established, the user may search it whenever he/she wishes to review something in or about a conversation that he/she previously had with another party. This feature may be achieve by, for example, using a voice synthesis system within the PCM 140A or 140B and having user voice response or keypad entry to select various options or enter alternative keywords or ID terms. Alternatively, it may be achieved by including a graphical user interface (GUI) to allow the system user to view system selected keywords and select or manually enter his preferred keywords and ID terms.

Referring to Figure 5 an exemplary graphical user interface 505 for system

indication and user selection of keywords and/or ID terms related to a communication session according to a preferred embodiment of the present invention is provided. The keyword preference screen GUI 505 may have three primary areas, a system selected keyword section 510, a manual keyword entry section 520 and a
5 communication session identification information section 530. The system selected keyword section 510 may include, for example, a listing of the top five or more keywords as listed according to the number of occurrences of the keywords in the communication session. This listing may be edited and revised as the user prefers. The manual keyword entry section 520 enables the user to input his/her preferred
10 keywords or ID terms and may include the ability to enter a title for the communication session or the identity of one or more persons involved in the communication session. The communication session identification information section 530 may include various types of meta information such as the date and times of the communication session and the directory number and/or system address of the
15 communication session. This information may be updated. The GUI 505 or any portion(s) of the GUI 505 may be presented on a CPE 110, for example the PC 114 or the TV 118, or on the display of a mobile communication device 155.

Once the system has stored a plurality of communication sessions with related information in, for example, a database on a disk in the PCM 140 or 140B, the system
20 user may search the database and identify one or more stored communication session to review. Figure 6 shows a flow diagram for searching a database of communication session to find a communication session the user wishes to review according to one

preferred embodiment of the present invention. First, the system determines if the system user would like to search the communication session database at decision step 605. If so, then at step 606 the system activates the communication session database search application. This search application may be provided with custom software which enables the system user to enter search terms and view a listing of the communication session stored in memory or on disk which meet or closely meet the search terms entered by the system user. The means for initiating the search application, entering the search terms, and reviewing the search results may be, for example, a keypad, keyboard, voice recognition, or touch screen with system responses via a screen display or voice synthesis system. These means may be contained within, for example, the PCM 140A or 140B or the CPE 110 or 120, the BTI 112 or 122, or the PC 114 or 124.

Then, at step 607, the system user may enter one or more search terms such as a keyword, date range, directory number, system address, type of communication, title, etc. The entry of the search request information may be made via a keypad, keyboard, touch screen, and/or graphical user interface with, for example, a telephone 113, PC 114, TV 118, and/or mobile communication device 155. Figure 7 shows one exemplary graphical user interface used to search a communication session database to find a communication session that has the keyword "boat" in it and is a telephone call. The communications database search screen 705 GUI may include entry fields such as keyword(s) 710, date range 711, directory number 712, system address 713, type (of communication) 714, and subject/title 715. In response, the system lists the

communications and related meta information for the saved communication sessions that match the search terms at step 608. Figure 8 shows one exemplary result of a listing of communication sessions identified in response to a system user's request illustrated in figure 7. Then, at decision step 609, the system determines whether the system user has selected a saved communication session from the list for review. If so, at step 610 the system, for example the PCM 140A or 140B or the CPE 110 or 120, reconstructs the communication from the saved packets and presents the communication session to the system user. The communication would typically be presented in the media in which it originated. However, the system user can specify, and the system will provide, the communication session to be presented for review in an alternate media. For example, the system user may select that a communication session which originated as voice in a telephone call be presented as text.

Although particular embodiments of the present invention have been shown and described, it will be understood that it is not intended to limit the invention to the preferred embodiment(s) and it will be obvious to those skilled in the art that various changes and modifications may be made without departing from the spirit and scope of the present invention. Thus, the invention is intended to cover alternatives, modifications, and equivalents, which may be included within the spirit and scope of the invention as defined by the claims.

For example, the present invention is applicable to communication sessions in which one or more parties are located off network and one party is on network or when all parties are off network but the communication session is transported at least

PATENT APPLICATION

Attorney Docket No. 1999-0728

in part, through a broadband network such as the Internet or an ATM network. For example, if one party to a telephone conversation is using POTS telephone 180 coupled to PSTN 160, a second party to the telephone conversation is using a mobile telephone coupled to the PSTN 160 through a cellular telephone network 150, and a
5 third party is using a POTS telephone 113 coupled to his BTI 112 and PCM 140A, then the call is routed through broadband network 130 and gateway 160 such that the voice communication is digitized and packetized within a portion of the transmission path. As such, the third party can save the communication session (all parties words with the approval of the first and second party) to, for example, his PCM and search
10 and review it according to the present invention. Alternatively, all parties to the telephone conversation could be off network and the call could be routed through the broadband network 130. In this case, one or more of the parties could subscribe to a communication session storage service and, for example, a server on the broadband network could maintain the system subscriber's assigned PCM 140A. This
15 embodiment is particularly attractive to a party who uses a mobile communication device as his/her only or primary communication means.

All publications, patents, and patent applications cited herein are hereby incorporated by reference in their entirety for all purposes.

WHAT IS CLAIMED IS:

- 1 1. A method for retaining broadband communications, comprising the steps of:
2 collecting digitized information packets of a communication session; and
3 selecting keywords related to said communication session for subsequently
4 searching to find said communication session.

- 1 2. The method according to claim 1, further comprising the steps of:
2 determining if said digitized information packets contain voice information;
3 and
4 converting voice information contained in said digitized information packets
5 into related text information.

- 1 3. The method according to claim 2, wherein said step of selecting keywords is
2 done automatically.

- 1 4. The method according to claim 3, further comprising the steps of:
2 prompting a first party to said communication session to determine preferred
3 communication session identification terms and said keywords; and

PATENT APPLICATION

Attorney Docket No. 1999-0728

4 revising said identification terms and said keywords according to said first
5 party preference.

1 5. The method according to claim 4, wherein said digitized information packets
2 includes outgoing packets for communications sent by said first party and incoming
3 packets for communications sent by a second party to said first party.

1 6. The method according to claim 5, further comprising the step of:
2 determining if approval has been given by said second party to store said
3 incoming packets for communications sent by said second party.

1 7. The method according to claim 6, further comprising the step of:
2 storing to memory at least said outgoing packets of said digitized information
3 packets.

1 8. The method according to claim 7, further comprising the step of:
2 determining if said incoming packets for communications sent by said second
3 party are to be protected, and if so, protecting said incoming packets.

1 9. The method according to claim 8, further comprising the step of:

PATENT APPLICATION

Attorney Docket No. 1999-0728

2 storing said incoming packets to memory.

1 10. The method according to claim 9, further comprising the step of:

2 storing to memory meta information and identification information related to
3 said communication session.

1 11. The method according to claim 10, wherein said step of converting of said
2 voice information to text is performed using voice/speech recognition and wherein
3 said step of selecting keywords is performed using artificial intelligence.

1 12. The method according to claim 1, further comprising the step of:

2 searching a database of communication sessions to find a system user selected
3 communication session according to search terms provided by said system user.

1 13. The method according to claim 12, further comprising the step of:

2 reconstructing at least a portion of said selected communication session from
3 said collected digitized information packets; and

4 presenting said reconstructed selected communication session to said system
5 user for review.

1 14. A system, comprising:

2 a user interactive communication session collection and sort module.

1 15. The system according to claim 14, further comprising:

2 a broadband communication network coupled to said interactive
3 communication session collection and sort module.

1 16. The system according to claim 15, further comprising:

2 a customer premises equipment coupled to said interactive communication
3 session collection and sort module.

1 17. A broadband communication system, comprising:

2 a personal communication module that collects and stores communication
3 sessions selected from the group consisting of telephone calls, multimedia calls, and
4 instant messages.

1 18. The system according to claim 17, further comprising:

2 a broadband communication network coupled to said personal communication
3 module.

PATENT APPLICATION

Attorney Docket No. 1999-0728

1 19. The system according to claim 19, further comprising:
2 a customer premises equipment coupled to said personal communication
3 module.

1 20. The system according to claim 17, wherein said communication session is said
2 telephone call and speech is digitized and packetized.

1 21. The system according to claim 17, wherein said communication session is said
2 multimedia call and speech is digitized and packetized.

1 22. The system according to claim 18, wherein said personal communication
2 module collects digitized information packets and selects keywords related to said
3 communication session for subsequently searching to find said communication
4 session.

1 23. The system according to claim 22, wherein said personal communication
2 module determines if said digitized information packets contain voice information
3 and converts voice information contained in said digitized information packets into
4 text information.

PATENT APPLICATION

Attorney Docket No. 1999-0728

1 24. The system according to claim 23, wherein selecting keywords is done
2 automatically.

1 25. The system according to claim 24, wherein the broadband communication
2 system prompts a first party to said communication session to determine preferred
3 communication session identification terms and said keywords, and revises said
4 identification terms and said keywords according to said first party preference.

1 26. The system according to claim 25, wherein said digitized information packets
2 includes outgoing packets for communications sent by said first party and incoming
3 packets for communications sent to said first party by a second party.

1 27. The system according to claim 26, wherein said personal communication
2 module determines if approval has been given by said second party to store said
3 incoming packets for communications sent by said second party.

1 28. The system according to claim 27, wherein said personal communication
2 module stores to memory at least said outgoing packets of said digitized information
3 packets.

PATENT APPLICATION

Attorney Docket No. 1999-0728

1 29. The system according to claim 28, wherein said personal communication
2 module determines if said incoming packets for communications sent by said second
3 party are to be protected, and if so, protecting said incoming packets.

1 30. The system according to claim 29, wherein said personal communication
2 module stores said incoming packets to memory.

1 31. The system according to claim 30, wherein said personal communication
2 module stores to memory meta information and identification information related to
3 said communication session.

1 32. The system according to claim 31, wherein said personal communication
2 module converts said voice information to text using voice/speech recognition and
3 selects keywords using artificial intelligence.

1 33. The system according to claim 18, wherein said personal communication
2 module includes a database in which said communication sessions are stored, and
3 searches said database of communication sessions to find a system user selected
4 communication session according to search terms provided by said system user.

PATENT APPLICATION

Attorney Docket No. 1999-0728

- 1 34. The system according to claim 33, wherein said personal communication
2 module reconstructs at least a portion of said selected communication session from
3 collected digitized information packets and presents said reconstructed selected
4 communication session to said system user for review.

ABSTRACT

A mechanism is provided to build and maintain a searchable database of communication content and related indicia information of all voice and multimedia (audio and video) communications in which a person participates using a broadband communication system. A personal communication module, either physical or logical, is coupled to a user's communication device, for example a telephone, and a broadband communication network. The module may capture all data associated with a communication, e.g., a phone conversation, and perform voice recognition on the voice or audio content of the communication, storing the content in a database for future reference. The communication data, including text of the voice or audio content of the communication, may be searched based on, for example, any word(s) spoken during the communication. In one variation, artificial intelligence may be used to identify and log the main keywords in the conversation. Keywords may be used to search the database for a particular communication. The module may store all of the content of the various communications, such as telephone conversations, in a database along with related data about the conversation, such as date, time, directory number, system address, and identity of the other endpoint or party. In another variation, the module may be controlled to only store one side of a two-way communication when one of the parties does not approve that the communication to be recorded. In a further variation of the invention, a mechanism may be included to allow users to record both ends of a communication, e.g., a telephone conversation, by getting permission from the other party or parties to the communication. In a first

PATENT APPLICATION

Attorney Docket No. 1999-0728

approach each party can initially enter an approval code which enables the stored communications module to store both sides of a communication from the very beginning of the communication. In another approach, both sides of the communication are also stored in the database, one unprotected (communications of an originating party) and one protected (communications from some other party). In a still further variation of the invention, the module may include an interactive portion which enables the user to actively or interactively enter particular keywords that he/she may use to search and find a stored communication.




Figure 1




Figure 2




Figure 3




Figure 4

505

Keyword Preference Screen

System Selected Keyword (As Appeared)

- | | | |
|---------------------|---|----|
| 1. Loan | - | 22 |
| 2. Finance | | 12 |
| 3. Checking Account | | 9 |
| 4. Money | | 6 |
| 5. Bank | | 5 |

Manual Keyword Entry

Enter Keyword:

Boat

Priority/Weight:

1

Subject/Title:

Boat Loan Application

Name(s):

Communication:

Date: 5/1/01

Times 11:00 - 11:45 AM

Directory Number: 973-555-0101

System Address: ATT 0011450.com

520

510

530

Figure 5




Figure 6

705

Communications Database Search Screen	
Enter:	
710	Keyword(s): <input type="text" value="Bout"/>
711	Date Range: <input type="text"/>
712	Directory No: <input type="text"/>
713	System Address: <input type="text"/>
714	Type: <input type="text" value="Telephone Call"/>
715	Subject/Title: <input type="text"/>

Figure 7

805

<u>Subref / Title</u>	<u>Date</u>	<u>Time</u>	<u>Directory No.</u>	<u>System Address</u>	<u>Keywords</u>
1. Boat Loan Application	5/01/01	11:00am	979-555-0101	ATT 001930.com	Boat, ...
2. Boat Dock Fees	Boat, ...
3. Billy Clinton Party	Boat, ...
4. Boat Fuel	Boat, ...
5. Truck Repair	Repair, Boat, ...
...
...
...

Charge Presentation Media ?

Figure 8

IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE

Declaration and Power of Attorney

As the below named inventors, we hereby declare that:

Our residence, post office address and citizenship are as stated below next to our names.

We believe we are the original, first and joint inventors of the subject matter which is claimed and for which a patent is sought on the invention entitled **System and Method For Storage And Retrieval Of Personal Communications In A Broadband Network** the specification of which is attached hereto.

We hereby state that we have reviewed and understand the contents of the above identified specification, including the claims, as amended by an amendment, if any, specifically referred to in this oath or declaration.

We acknowledge the duty to disclose all information known to us which is material to patentability as defined in Title 37, Code of Federal Regulations, 1.56.

We hereby claim foreign priority benefits under Title 35, United States Code, 119 of any foreign application(s) for patent or inventors' certificate listed below and have also identified below any foreign application for patent or inventors' certificate having a filing date before that of the application on which priority is claimed:

None

We hereby claim the benefit under Title 35, United States Code, 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, 112, we acknowledge the duty to disclose all information known to us to be material to patentability as defined in Title 37, Code of Federal Regulations, 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

None

We hereby declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.


We hereby appoint the following attorneys with full power of substitution and revocation, to prosecute said application, to make alterations and amendments therein, to receive the patent, and to transact all business in the Patent and Trademark Office connected therewith:

Samuel H. Dworetzky	(Reg. No. 27873)
Thomas A. Restaino	(Reg. No. 33444)
Michele L. Conover	(Reg. No. 34962)
Benjamin S. Lee	(Reg. No. 42787)
Robert B. Levy	(Reg. No. 28234)
Alfred G. Steinmetz	(Reg. No. 22971)
Cedric G. DeLaCruz	(Reg. No. 36498)
Rohini K. Garg	(Reg. No. 45272)
Susan E. McHale	(Reg. No. 35948)

I also appoint Thomas H. Jackson (Reg. No. 29808) and Kevin Alan Wolff (Reg. No. 42,233) of Banner & Witcoff as associate attorneys, with full power to prosecute said application, to make alterations and amendments therein, and to transact all business in the U.S. Patent and Trademark Office connected therewith.

Please address all correspondence to Mr. S. H. Dworetzky, AT&T Corp., P.O. Box 4110, Middletown, New Jersey 07748. Telephone calls should be made to Thomas H. Jackson at 202-508-9119.

Full name of 1st joint inventor: Aviel D. Rubin

Inventor's signature  Date 4/19/00

Residence: 1 Rubino Road, W. Caldwell, Essex County, New Jersey

Citizenship: United States of America

Post Office Address: 1 Rubino Road, W. Caldwell, New Jersey 07006

Full name of 2nd joint inventor: Martin J. Strauss

Inventor's signature *Martin Strauss* Date *Apr 20, 2000*

Residence: 7 Oak Forest Lane, Summit, Union County, New Jersey

Citizenship: United States of America

Post Office Address: 7 Oak Forest Lane, Summit, New Jersey 07901-1716

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

only 33 pages of specification were present

☐ Scanned copy is best available